CUMULATIVE AUTHOR INDEX
Journal of Economic Entomology
Volume 90, 1997

A

Abarca, C., 412
Adler, P. H., 1324
Alatorre, R., 1534
Albrecht, C., 165
Aldana, L., 1567
All, J. N., 1207
Allsopp, P. G., 1702
Aluja, M., 1567
Amichot, M., 1514
Amri, A., 1
Andersen, A., 75, 566
Appel, A. G., 465, 1222, 1232
Aranda, C., 1508
Archer, T. L., 1125
Argauer, R., 416, 899
Argentine, J. A., 1500
Arnold, G., 1710
Arthur, F. H., 1157
Atwood, D. W., 751
Avilla, C., 1628
Azambuja, P., 340
Azzam, A., 1
Azzam, S., 1

B

Babault, M., 1514
Baker, J. e,. 304, 1678
Balbyshev, N. F., 652
Ball, O. J. P., 1382
Ban, P. M., 809
Bang, J. R., 11
Banken, J. A. O., 1102
Barchia, I. M., 15
Barger, J. H., 147
Barker, J. F., 160
Barrera, J. F., 1534
Bartels, D. W., 449
Basky, Z., 623
Baumgartner, J., 421
Baur, M. E., 1200
Bautista, R. C., 757
Baxendale, F. P., 1087
Beck, D. A., 1346
Beeman, R. W., 304
Beers, E. H., 566
Behle, R. W., 354, 1560
Bennett, G. W., 38, 473, 510, 976, 1247
Benson, E. P., 1232
Berdegue, M., 961
Berge, J. B., 1514
Bergh, J. C., 679
Berlinger, M. J., 1690
Berry, R. E., 113, 1528
Bertsch, W., 1678
Besco, C. L., 49
Betana, M. D., 1170
Bikoba, V., 1360
Blanco-Labra, A., 1371
Blumberg, D., 1181
Boetel, M. A., 1332
Boethel, D. J., 1117
Boeve, P. J., 967
Bohnert, T. J., 473
Bohorova, N., 412
Boiteau, G., 309
Borden, J. H., 235, 704, 801
Borek, V., 109
Bowditch, T. G., 1028
Bowen, K. L., 1341
Boxler, D. J., 6
Bravo, A., 412
Brenner, R. J., 1254
Briano, J. A., 124
Bride, J. M., 1514
Brito, R. M., 412
Brown, G. C., 1187
Brown, R. D., 566
Brown, R. J., 27
Brown, T. M., 49
Brun, A., 1514
Bryan, W. W., 663
Bryson, P. K., 49
Buisson, C., 873
Burd, J. D., 1055, 1684
Burkness, E. C., 1590
Burris, E., 723
Buschman, L. L., 1137
Busey, P., 492
Butot, R. P. T., 188
Butler, L., 784
Buttarazzi, M., 1022
Butts, R. A., 1005
Bynum, Jr., E. D., 1125
Byrne, P. F., 1039

C

Cabrera, M., 412
Cadogan, B. L., 551
Cain, J. W., 1131
Calderone, N. W., 1080
Calvitti, M., 1022
Camino, M., 1567
Campbell, J. B., 6, 293
Campos, F., 742
Capinera, J. L., 1539
Carlini, C. R., 340
Carpenter, J. E., 444
Carpinella, M. C., 747
Carson, W. G., 139
Casida, J. E., 879
Castrejon, V., 1567
Catangui, M. A., 6
Causer, S., 1661
Chao, S. L., 879
Chapman, B., 1493
Chapman, R. B., 272
Charlton, R. E., 1665
Chaufaux, J., 873
Cheesbrough, T. M., 1672
Chen, C. C., 535
Cheng, L. L., 535
Chew, V., 503
Chilcutt, C. F., 397
Chippendale, G. M., 1486
Cho, J. R., 11
Chortyk, O. T., 1015
Chrislip, G. A., 784
Church, G. E., 723
Cirio, U., 1022
Clare, G. K., 1351
Clement, J. L., 119
Coats, J. R., 883

Cochran, D. G., 1441, 1458
Coe, E. H., 1039
Coffelt, J. A., 1032
Coleman, S., 205
Coll, M., 154
Collar, J. L., 1628
Cooki, S. P., 1267
Cooper, R. L., 697
Cordo, H. A., 124
Cornelius, M. L., 320
Costa, H. S., 333
Croft, B. A., 113
Croughan, S. S., 1414
Cuany, A., 1514

D

Davidson, E. W., 628
Davis, P. M., 205
De La Rosa, W., 1534
De Oliveira, D., 1646, 1650
De Sousa, G., 1514
Dedes, J., 560
Defago, M. T,. 747
Degheele, D., 278
DeJager, C. M., 188
DeJean, A., 1092
Dennehy, T. J., 879
DiFonzo, C. D., 824
Dill, N. H., 1557
Djieto-Lordon, C., 1092
Dong, Y. J., 535
Drakos, G. N., 1635
Drew, M. E., 309
Dreyer, H., 421
Duan, J. J., 165
Dueben, B. D., 1584
Duque, M., 1628
Durand, J. L., 1092
Durant, J. A., 1324

E

Ebbett, R. H., 1458
Ehler, L. E., 1300
El Bouhssini, M., 1
Elberson, L. R., 109
Elden, T. C., 842
Eliason, E. A., 1598
Ellis, M. D., 1087
Enkerlin, W., 1066
Epsky, N. D., 1584
Eritja, R., 1508
Espinosa, M., 1508
Evans, A., 1661
Evenson, P. D., 1332

F

Falkowsky, J. E., 383
Fargues, J., 765
Feng, M. G., 383
Fereres, A., 1628
Ferkovich, S. M., 1181
Ferro, D. N., 574
Fisher, K., 1609
Fleischer, S. J., 154, 855
Flinn, P. W., 646
Foster, R. E., 595
Frampton, C., 102, 1493, 1661
Frampton, E. R., 1433
Fuester, R. W., 1557
Fuller, B. W., 1332, 1346

G

Gahan, L. C., 75
Gandolfo, D. E., 124
Garcia, J. A., 130
Garcia-Salazar, C., 1546
Gardiner, E. M. M., 261
Gaugler, R., 925
Gauthier, D., 560
Georghiou, G. P., 1471
Ghidiu, G. M., 1207
Gibb, T. J., 595
Gilboa, S., 732
Giles, K. L., 933
Gill, R. F., 832
Gillespie, J. M., 223
Gillespie, R. L., 354
Gingras, J., 1646, 1650
Glenn, D. C., 370
Goldenberg, S., 1181
Gomez-Peralta, M., 604
Got, B., 773
Goula, M., 1508
Gould, F., 75, 241, 611
Govoni, C., 1022
Grace, J. K., 320
Grafius, E., 1144
Graves, J. B., 723
Greenwood, D. R., 199
Gringorten, L., 560
Grison, R., 1710
Grundler, J. A., 1332
Gudmestad, N. C., 824
Guo, Y., 868

H

Hagstrum, D. W., 646
Halliday, W. R., 1500
Hamilton, M., 1661
Hammock, B. D., 1170
Hammond, R. B., 697
Hanks, J. E., 639
Hannapel, D. J., 689
Hansen, J. D., 540
Harbo, J. R., 893
Hardee, D. D., 663
Hare, J. D., 326
Harmon, B. L., 1392
Harris, E. J., 757
Harris, M. K., 983
Heath, R. R., 1584
Heckel, D. G., 75
Hein, G. L., 1332
Hendrix, D. L., 628
Henneberry, T. J., 333, 583
Herman, R. A., 715
Hernandez-Delgadillo, R., 1371
Herrmann, R., 1170
Herzog, G. A., 658
Hetzel, F., 102
Hidrayani, 444
Higgins, R. A., 1137, 1665
Hill, B. D., 1005
Hinojosa, R. E., 1371
Hoddle, M. S., 910
Hoegh, D., 361
Hoffmann, A. A., 370
Hoisington, D., 412
Hollingsworth, R. G., 21,55
Hong, K. J., 11
Hoopingarner, R. A., 893
Hoover, K., 1170

Horowitz, A. R., 349
Horton, D. R., 170
Hou, R. F., 535
Howard, K. D., 639
Hoy, L. E., 546, 1377
Hruska, A. J., 604, 611
Huang, F., 1137
Hutchison, W. D., 449, 1590

I

Imerman, P. M., 689
Ishaaya, I., 349

J

Jancovich, J. K., 628
Jang, E. B., 535
Jansson, R. K., 742, 1500
Jarlan, A., 1646, 1650
Jarvi, K. J., 1332
Jassim, R., 66
Jdeidi, T., 59
Jeffs, L. B., 383
Jenkins, E. B., 697
Jentsch, P. J., 1315
Jeronimo, F., 1584
Jimenez, A., 1567
Johnson, A. W., 1010, 1015
Johnson, M. W., 55
Johnson, S., 66
Jones, R. G., 639
Jones, V. M., 1357
Jones, V. P., 252
Jordaan, J., 623
Joulie, C., 119
Juarez, P., 119
Judd, G. J. R., 801

K

Kaakeh, N., 510
Kaakeh, W., 38, 473, 510, 976, 1247
Kabir, K. H., 272
Kamalay, J. C., 147
Kard, B. M., 178
Katsoyannos, B. I., 1635
Kaya, H. K., 1200
Keaster, A. J., 1332
Keever, G. J., 1222, 1232
Keickhefer, R. W., 1672
Kence, M., 59
Keren, S., 1181
Khachatourians, G. G., 383
Khan, Z. R., 1426
Kieckheffer, R. W., 1346
Kloepper, J., 391
Klotz, J. H., 488, 523
Knutson, A. E., 983
Koehler, P. G., 183, 483, 1254
Kondo, V. A., 784
Kopanic, Jr., R. J., 1073
Kotze, A. C., 15
Kring, T. J., 751
Krupa, D. A., 742
Kund, G. S., 139

L

Labatte, J. M., 773
Lacey, L. A., 765
Lambert, A. L., 658
Landis, D. A., 1546
Landis, D. A., 905, 1332
Lavine, M., 628
Lawson, D. S., 1450
Le Blanc, J. P. R., 679
Le Mouel, T., 1514
Lecuona, R., 119
Lee, J. O., 11
Lee, S., 883
Leesch, J. G., 832
Leonard, B. R., 723
Lereclus, D., 873
Lester, P. J., 199
Lewis, E. E., 925
Lewis, L. C., 669, 1195
Lewis, T. M., 170
Lhaloui, S., 1
Li, Q. X., 165
Liang, G., 868
Liebhold, A. M., 1259
Lingren, P. D., 223
Liu, J., 1528
Liu, N., 1478
Liu, T. X., 404
Liu, Y. B., 287
Logarzo, G. A., 124
Lorenzen, J. H., 652
Lukow, O., 1005

M

Maciel, A. M., 412
Mack, T. P., 1222, 1232, 1341
Mackey, B. E., 832
Maindonald, J. H., 1351
Makee, H., 1097
Mallette, E. J., 178
Mangan, R. L., 427, 523, 945, 1433
Mankin, R. W., 1032
Mann, J. E., 1324
Manolakis, E., 1635
Marcon, P. C. R. G., 293
Martin, C., 1445
Martin, S. H., 723
Martinez, A. J., 130
Mascarenhas, R. N., 1117
Mason, C. E., 795
Mason, P. L., 27
May, O. L., 1324
McBrien, H. L., 801
McCaffrey, J. P., 109, 1392
McCaslin, M., 842
McCoy, C. W., 988
McCullough, D. G., 1598
McCutchen, B. F., 1170
McGill, N. G., 1702
McGuire, M. R., 354, 1560
McLaughlin, J. M., 1557
McLeod, M. J., 1346
McLeod, P. J., 195
McMullen, M. D., 1039
McPherson, R. M., 658
Meagher, Jr., R. L., 1046
Meating, J. H., 551
Meinke, L. J., 1332
Mendelson, Z., 349
Mercier, C. T., 574
Messing, R. H., 55
Meusnier, S., 773
Micinski, S., 723
Midgarden, D., 855
Migeon, A., 773

Miles, C. O., 1382
Millar, J. G., 983
Miller, A. R., 1690
Miller, D. M., 483
Miller, F., 1641
Mitcham, E. J., 1360
Mohamed, M. A., 1414
Moreno, D. S., 427, 1433
Morra, M. J., 109
Morrison, Jr., J. E., 218
Morrison, W. P., 1106
Morse, J. G., 326, 435
Moussaoui, M., 1
Muhller-Cohn, J., 873
Muir, W. E., 646
Mullinix, B. G., 444
Mulrooney, J. E., 639
Mumford, J., 1066
Musket, T. A., 1039
Mussey, G. J., 1615

N

Navon, A., 1181
Nelly, N., 444
Newlon, C. J., 1557
Ni, X., 848
Ni, Z., 1400
Nichols, R. A., 27

O

Obrycki, J. J., 669, 933
Oi, D. H., 218
Olalde-Portugal, V., 1371
Oleson, J. D., 1332
Oliveira, A. E. A., 340
Olsen, L., 1710
Orr, D. B., 905
Ortega Zaleta, D. A., 427
Osborn, W. P. L., 309
Osman, A. A., 66
Ostlie, K. R., 1332
Oswalt, D. A., 465
Ottea, J. A., 723

P

Paine, E. O., 1215
Pair, S. D., 1307
Palacios, S., 747
Papadopoulos, N. T., 1635
Pasteur, N., 873, 1445
Patterson, R. S., 135, 183, 483
Pena, J. E., 458
Pedersen, H. S., 361
Peiffer, R. A., 1557
Pereira, R. M., 1539
Perez, C. J., 87, 94, 1462
Perez-Mendoza, J., 304
Pesek, Jr., J. D., 795
Peter, J., 837
Peterson, C., 883
Pham-Delegue, M. H., 1710
Phillips, P. A., 1273
Pinero, J., 1567
Picard-Nizou, A. L., 1710
Pickel, C., 818
Pierson, P. E., 147
Pilcher, C. D., 669
Pimprale, S. S., 49
Pingel, R. L., 1195
Pioche, C., 1710
Piry, S., 773
Plapp, Jr., F. W., 261, 1125
Podgwaite, J. D., 1267
Polavarapu, S., 925
Porter, D. R., 1055
Porter, S. D., 135
Potter, D. A., 590, 1283, 1290, 1615
Potter, K. N., 218
Preisler, H. K., 1170
Prestidge, R. A., 1382
Prokopy, R. J., 165, 1655

Q

Quintela, E. D., 988
Quintero, R., 412
Quisenberry, S. S., 848, 1400, 1408, 1414, 1697

R

Radcliffe, E. B., 824
Ragsdale, D. W., 824
Rahmani, R., 1514
Rasmussen, T., 361
Raulston, J. R., 223
Reed, G., 1528
Regis, L., 299
Reid, B. L., 473, 510
Reierson, D. A., 1215
Reissig, W. H., 1450
Retnakaran, A., 551
Reynolds, A. H., 1655
Riba, G., 119
Rice, M. E., 669
Riedl, H., 252
Riggin-Bucci, T. M., 241
Rizzo, J., 1584
Robacker, D. C., 130
Roberts, E. A., 1259
Robertson, J. L., 1170
Rosen, D., 154
Ross, M. H., 1243, 1482, 1595
Roush, R. T., 732, 1462
Rufingier, C., 1445
Rumpf, S., 102, 1493
Rust, M. K., 1215

S

Sales, N., 15
Sanchis, V., 873
Sanderson, J. P., 910
Sandridge, P. T., 1557
Saour, G., 1097
Savopoulou-Soultani, M., 955
Saxena, R. C., 1426
Schaffer, B., 458
Schal, C., 1073
Scharf, M. E., 38, 1247
Scheffrahn, R. H., 492, 503, 809
Schoen, L., 1445
Schweizer, H., 435
Scott, J. G., 1152, 1478
Secor, G. A., 824
Shanower, T. G., 837
Shapiro, M., 416, 899
Sharov, A. A., 1259
Sharp, J. L., 540
Shasha, B. S., 354, 1560
Shaw, D. V., 818
Shearer, P. W., 252

Shelton, A. M., 87, 94, 732, 1462
Shine, Jr., J. M., 634
Shufran, K. A., 1055, 1684
Shufran, R. A., 283, 1106, 1577
Shuman, D., 1032
Siegfried, B. D., 293
Sieglaff, D. H., 1539
Sigmon, J. O. D., 1557
Sikinyi, E., 689
Silva-Filha, M. H., 299
Sivasupramaniam, S., 66
Skovmand, O., 361
Slocombe, A. C., 574
Sloderbeck, P. E., 283, 1106, 1577
Smagghe, G., 278
Smilanick, J. M., 1300
Smilowitz, Z., 855
Smith, C. M., 1450
Smith, C. W., 1046
Smith, II., L. M., 465, 1222, 1232
Smith, R. H., 1371
Smith, W. J., 1046
Snook, M. E., 1039
Sosa, Jr., O., 634
Spivak, M., 1080
Spurgeon, D. W., 223
St. Martin, S. K., 697
Stahr, H. M., 689
Stansly, P. A., 404
Stanyard, M. J., 595
Stark, J. D., 1102
Steinkraus, D. C., 21
Stover, E., 1315
Straub, R. W., 1315
Stromdahl, E. Y., 795
Strong, C. A., 183
Stuart, R. J., 925
Su, N. Y., 492, 503, 809
Sullivan, M. J., 1324
Sweeden, M. B., 195

T

Tabashnik, B. E., 55, 287, 397, 1200
Tai, P. Y. P., 634
Tal, M., 1690
Tamim, M., 1690
Tang, J. D., 94, 732
Taylor, P. B., 1557
Teetes, G. L., 1055
Theuri, J. M., 1039
Thomas, D. B., 523, 1433
Thomas, G. D., 6, 293
Thomas, J. B., 1005
Thorpe, K. W., 1267
Throne, J. E., 1678
Tollefson, J. J., 1332
Tomlin, E. S., 235, 704
Toscano, N. C., 333, 583
Townsend, E. C., 784
Tran, P., 1672
Treacy, M. F., 1207
Trisyono, A., 267, 1486
Trujillo, J., 1534
Trumble, J. T., 139, 961
Tsao, R., 883
Tugwell, N. P., 21
Turnipseed, S. G., 1324
Tzanakakis, M. E., 1635

U

Udayagiri, S., 449
Uiterdijk, M. E. C., 188
Ullman, D. E., 55
Unger, L. M., 1408, 1697

V

Vail, K. M. 488, 523
Valdes, M. E., 1567
Valladares, G., 747
Valles, S. M., 1254, 1521
Van Der Meijden, E., 188
Vandevyvere, I., 646
Van Driesche, R. G., 910
Van Frankenhuyzen, K., 560
Varela, L. G., 252
Vargas, R. I., 162, 165
Vazquez-Arista, M., 1371
Vidal, C., 765
Voss, T. S., 1346

W

Waddell, B. C., 1351, 1357
Walgenbach, D. D., 1332
Walgenbach, J. F., 996
Walker, G. P., 1273
Walsh, D. B., 818
Walsh, G. C., 124
Ware, G., 1641
Watson, T. F., 66
Weaver, D. K., 1678
Webb, R. E., 1267
Webster, J. A., 1055, 1684
Wedberg, J. L., 1332
Wei, G., 391
Weiss, M. J., 967
Weisz, R., 855
Welch, N. C., 818
Wells, C. D., 1678
Wells, M. A., 340
Welter, S. C., 252
Wen, Z., 1152
Whalon, M. E., 267
Wheeler, G. S., 503
White, G. B., 1267
Whiting, D. C., 546, 1377
Widstrom, N. W., 1039
Wilde G. E., 283, 1106, 1332, 1577
Williams, D. F., 135, 218, 488, 523
Williamson, R. C., 590, 1283, 1290
Wilson, T. G., 1131, 1163
Wilson, W. T., 1080
Wirth, M. C., 1471
Wiseman, B. R., 1039
Wolf, S. P., 1341
Wratten, S., 1661
Wu, K., 868

X

Xavier-Filho, J., 340
Xia, Y., 1010, 1015

Y

Yao, C., 391
Yates, III, J. R., 320
Yoo, J. K., 11

Yoshida, H.A., 583
Yoshida, M., 837
Young, III, S.Y., 751
Yu, L., 113
Yu, S. J., 1521
Yu, Z., 1187

Z

Zalom, F. G., 818, 1300
Zehnder, G., 391
Zettler, J. L., 832, 1157, 1678
Zhou, S., 1360
Zhu, Y. C., 1665

CUMULATIVE SUBJECT INDEX
Journal of Economic Entomology
Volume 90, 1997

A

abamectin, 349, 566, 742,
Bemisia tabaci, 349
mineral oil, 349
Panonychus ulmi, 566
petri plate bioassay, 742
Tetranychus urticae, 566, 742
Acalymma vittatum, 1307, 1590,
Anasa tristis, 1307
Diabrotica undecimpunctata, 1307
Wald sequential probability ratio test, 1590
resampling software, 1590
Acarapis woodi, 1080, 1087,
Apis mellifera, 1080, 1087
essential oils, 1087
Varroa jacobsoni, 1080
Acari,
Panonychus ulmi, 272
Tetranychus urticae, 272
Aceria sheldoni,
Arachnida, 1273
plant response, 1273
acoustic emissions,
Cryptotermes brevis, 492
Incisitermes snyderi, 492
Acremonium,
Heteronychus arator, 1382
Neotyphodium lolii, 1382
Acrobasis nuxvorella,
phenology, 983
pheromone monitoring area, 983
acute toxicity,
Chryso-perla carnea, 1493
Micromus tasmaniae, 1493
Admire,
Diaprepes abbreviatus, 988
soil insect, 988
aggregation pheromone,
Blattella germanica, 483
fecal extract, 483
Agrotis ipsilon, 590, 669, 1200, 1283, 1290
Bacillus thuringiensis, 669
cultural control, 590, 1283
endophyte, 1290
mowing, 590
Papaipema nebris, 669
Steinernematidae, 1200
Steinernema carpocapsae, 1200
turfgrass, 1283, 1290
air movement,
Blatella germanica, 465
Ebeling choice box, 465
Alcaligenes faecalis,
Chromobacterium violaceum, 1371
Prostephanus truncatus, 1371
Aleyrodidae,
Bemisia argentifoli, 333
Bemisia tabaci biotype B, 333
alkaloids,
Coptotermes formosanus, 320
monotepenoids, 320
allelochemicals,
beet armyworm, 961
insect behavior, 961
almond drop,
Eurytoma amygdali, 1635
insect damage, 1635
alternate host,
insect resistance, 147
Lymantria dispar, 147
Amblyseius fallacis,
ground cover, 595
Panonychus ulmi, 595
ammonium carbonate,
butyl hexanoate, 1655
Rhagoletis pomonella, 1655
Anagrapha falcifera,
Bacillus thuringiensis, 1195
Heliocoverpa zea, 1195
Anasa tristis,
Acalymma vittatum, 1307
Diabrotica undecimpunctata, 1307
Anastrepha ludens, 130, 1584
Bacillus thuringiensis, 130
Ceratitis capitata, 1584
microbial control, 130
trapping, 1584
Anastrepha suspensa,
heat, 540
survival, 540
Anisopteromalus,
ant baits,
boric acid, 523
insecticide, 304
Monomorium pharaonis, 523

Anisopteromalus, *(continued)*
parasitoid, 304
Anthonomus grandis grandis,
malathion, 639
ultra-low-volume application, 639
antibiosis,
Diuraphis noxia, 1697
wheat, 1697
antifeedant,
Melia azedarach, 747
Xanthogalleuca luteola, 747
antitermitic,
Reticulitermes flavipes, 178
termite, 178
aphicide,
Myzus persicae, 195
persistence, 195
aphid(s),
insecticide resistance, 1445
Nasonovia ribisnigri, 1445
resistance, 1672
wheat, 1672
Aphis citricola,
Harmonia axyridis, 11
Myzus malisuctus, 11
Aphis gossypii,
fecundity, 55
insecticide resistance, 55
Aphis helianthi,
vector, 825
epidemiology, 825
Aphis nasturtii,
Leptinotarsa decemlineata, 309
Macrosiphum euphorbiae, 309
Apis mellifera, 893, 1080, 1087, 1710
Acarapis woodi, 1080, 1087
breeding, 893
essential oils, 1087
risk assessment, 1710
transgenic plants, 1710
Varroa jacobsoni, 893, 1080
application rate,
Diabrotica, 1332
insecticide, 1332
Arachnida,
Aceria sheldoni, 1273
plant response, 1273
artifical diet, 628
Bemisia argentifolii, 628
nymphal feeding chamber, 628
artificial diet,
rearing, 427
West Indian fruit fly, 427
Australian sheep blowfly,
diazinon, 15
diflubenzuron, 15
autodissemination,
SeMNPV, 1187
Spodoptera exigua, 1187
azadirachtin,
Bemisia argentifolii, 583
Bemisia tabaci, 583

B

Bacillus sphaericus,
Bacillus thuringiensis israelensis, 299
Culex quinquefasciatus, 299
Bacillus thuringiensis, 75, 87, 94, 130, 139, 241, 267, 287, 354, 397, 560, 669, 732, 751, 873, 905, 1137, 1195, 1181, 1462, 1560
Agrotis ipsilon, 669
Anagrapha falcifera, 1195
Anastrepha ludens, 130
Cortesia marginiventris, 751
Cotesia plutellae, 397
economics, 139
ethylenediamine tetraacetate, 287
formulation, 1560
genetics of resistance, 873
gluten, 354
Heliocoverpa zea, 1195
Helicoverpa armigera, 1181
Heliothis virescens, 75, 751
insecticide resistance, 1137
integrated pest management, 139
Leptinotarsa decemlineata, 267
microbial control, 130
Microplitis croceipes, 1181
Ostrinia nubilalis, 354, 905, 1137
Papaipema nebris, 669
Plutella xylostella, 87, 94, 241, 287, 397, 732, 1462
population dynamics, 241
resistance, 75, 94
resistance cost, 267

resistance management, 1462
resistance monitoring, 87
Spodoptera littoralis, 873
spruce budworm, 560,
stadial susceptibility, 560
transgenic plants, 732
Trichoplusia ni, 1560
Zea mays, 905
Bacillus thuringiensis israelensis,
Bacillus sphaericus, 299
Culex quinquefasciatus, 299
Bacillus thuringiensis subsp. *israelensis,*
CryIV toxins, 1471
Culex quinquefasciatus, 1471
Bacillus thuringiensis subsp.,
Colorado potato beetle, 574
tenebrionis, 574
Bacillus thuringiensis variety *israelensis,*
bioassay, 361
dosemortality, 361
Bactrocera melanotus,
Bactrocera xanthodes, 1351
Tephritidae, 1351
Bactrocera xanthodes,
Bactrocera melanotus, 1351
Tephritidae, 1351
baculovirus,
Heliothis virescens, 1170
insecticide, 1170
baculovirus,
Lymantria dispar, 1267
neem, 1267
bait(s),
behavior, 1595
behavioral resistance, 1482
Blattella germanica, 1482
cockroach, 1595
bait avoidance,
pest ants, 488
Solenopsis invicta, 488
Beauveria bassiana, 119, 383, 1534
Beauveria brongniartii, 119
Hypothenemus hampei, 1534
insect lipids, 119
Melanoplus sanguinipes, 383
microbial control, 383
virulence, 1534
Beauveria brongniartii,
Beauveria bassiana, 119,
insect lipids, 119
beet armyworm,
allelochemicals, 961
insect behavior, 961
behavior,
bait, 1595
cockroach, 1595
behavioral resistance,
baits, 1482
Blattella germanica, 1482
Bemisia argentifoli, 66, 333, 404, 583, 628, 658, 765, 879, 910, 1046
Aleyrodidae, 333
artifical diet, 628
azadirachtin, 583
Bemisia tabaci biotype B, 333
Bemisia tabaci, 404, 583, 658
Encarsia formosa, 910
Encarsia spp., 404
entomopathogenic fungi, 765
Gossypium hirsutum, 1046
Gossypium barbadense, 1046
house fly, 879
nymphal feeding chamber, 628
Paecilomyces fumosoroseus, 765
resistance monoriting, 66
Trialeurodes abutilonea, 658
vial-bioassay, 66
whitefly, 879, 910
Bemisia tabaci, 349, 404, 583, 658
abamectin, 349
azadirachtin, 583
Bemisia argentifolii, 333, 404, 583, 658
Encarsia spp., 404
mineral oil, 349
Trialeurodes abutilonea, 658
Bemisia tabaci biotype B,
Aleyrodidae, 333
Bemisia argentifoli, 333, 404, 583, 658
benzodioxole, chemosterilant, 535
fruit flies, 535
benzoyphenyl urea compound,
chitin synthesis inhibitor, 1131
Drosophila melanogaster, 1131
bioassay(s), 113, 283, 361, 1450, 1500
Bacillus thuringiensis variety *israelensis,* 361

bioassay(s), *(continued)*
cadmium, 113
Choristoneura rosaceana, 1450
dosemortality, 361
insecticide discovery, 1500
insecticide resistance, 283
nontargets, 113
resistance, 1450
Schizaphis graminum, 283
toxicity, 1500
biological control, 135, 1092, 1539
Chrysomelidae, 1092
Coelaemenodera minuta, 1092
Colorado potato beetle, 1528
entomopathogenic nematodes, 1528
grasshopper, 1539
microbial control, 1539
Solenopsis invicta, 135
Solenopsis richteri, 135
biological invasion,
Lymantria dispar, 1259
spread rate, 1259
biotype(s), 1055, 1684
Diuraphis noxia, 1684
plant resistance, 1684
resistance, 1055
Schizaphis graminum, 1055
blacklight trap,
Ostrinia nubilalis, 449
pheromone trap, 449
Blattella,
German cockroach, 1458
pyrethroids, 1458
Blatella germanica, 38, 183, 465, 473, 483, 510, 976, 1073, 1152, 1247, 1254, 1482,
air movement, 465
aggregation pheromone, 483
baits, 1482
behavioral resistance, 1482
chitin synthesis inhibitor, 510
coprophagy, 1073
Ebeling choice box, 465
fecal extract, 483
fenoxycarb, 1247
fipronil, 1152, 1254
imidacloprid, 473
insecticide activation, 1254
insecticide resistance, 183
horizontal toxican transfer, 1073
hydoprene, 1247
lambdacyhalothrin, 38
lufenuron, 510
Metarhizium anisopliae, 473
Musca domestica, 1152
resistance management, 38
selection, 183
sticky traps, 976
vacuum cleaner, 976
blister beetles,
cantharidin, 1665
Epicauta, 1665
bollworm, 663
tarnished plant bug, 663
tobacco budworm, 663
boric acid, 523
ant baits, 523
Monomorium pharaonis, 523
Brachymeria intermedia,
Coccygomimus disparis, 1551
Lymantria dispar, 1551
branched salivary sheath, 848,
Diuraphis noxia, 848
Triticum aestivum, 848
Brassica,
Ceutorhynchus assimilis, 1392
plant resistance, 1392
Brassica spp.,
isothiocyanates, 109
Otiorhynchus sulcatus, 109
breeding,
Apis mellifera, 893
Varroa jacobsoni, 893
Busseola fusca,
maize stem borer, 1426
mass rearing, 1426
butyl hexanoate,
ammonium carbonate, 1655
Rhagoletis pomonella, 1655

C

Cacopsylla pyricola,
flight activity, 170
sampling, 170
cadmium, bioassays, 113
nontargets, 113

Cajanus spp.,
Helicoverpa armigera, 837
trichomes, 837
Callosobruchus maculatus,
canatoxin, 340
Rhodnius prolixus, 340
Camplyomma verbasci,
Miridae, 801
sex pheromone, 801
canatoxin,
Callosobruchus maculatus, 340
Rhodnius prolixus, 340
cantharidin,
blister beetles, 1665
Epicauta, 1665
Capsicum,
Eristalis tenax, 1646
visits, 1646
carbaryl,
Edwardsiana rosae, 1315
Typhlocyba pomaria, 1315
carboxylamidase,
cockroaches, 1521
Fall armyworm, 1521
Ceratitis capitata, 1066, 1584, 1609
Anastrepha ludens, 1584
economic returns, 1066
mating competitiveness, 1609
sterile insect technique, 1066
sterilization, 1609
trapping, 1584
Ceutorhynchus assimilis,
Brassica, 1392
plant resistance, 1392
chemosterilant, 535
benzodioxole, 535
fruit flies, 535
Chionaspis pinifoliae,
Dioryctria zimmermani, 1598
Neodiprion sertifer, 1598
chitin synthesis inhibitor, 510, 1131
benzoyphenyl urea compound, 1131
Blattella germanica, 510
Drosophila melanogaster, 1131
lufenuron, 510
Chlorochroa uhleri,
Euschistus conspersus, 1300
tomato, 1300
Choristoneura fumiferana,
insect growth regulators, 551
tebufenozide, 551
Choristoneura rosaceana,
bioassays, 1450
resistance, 1450
Chromobacterium violaceum,
Alcaligenes faecalis, 1371
Prostephanus truncatus, 1371
chrysanthemum,
Frankliniella occidentalis, 188
thrips, 188
Chrysomelidae,
biological control, 1092
Coelaemenodera minuta, 1092
Chrysoperla carnea, 102, 1493
acute toxicity, 1493
integrated pest management, 102
Micromus tasmaniae, 102, 1493
Citrus aurantifolia,
dispersion, 458
Phyllocnistis citrella, 458
Clavigralla tomentosicollis,
cowpea, 421
temporal dynamics, 421
Coccygomimus disparis,
Brachymeria intermedia, 1551
Lymantria dispar, 1551
cockroach(s),
bait, 1595
behavior, 1595
carboxylamidase, 1521
Fall armyworm, 1521
Coelaemenodera minuta,
biological control, 1092
Chrysomelidae, 1092
cold storage,
Pseudococcus affinis, 1377
temperature, 1377
Coleoptera,
fumigant, 832
Lepidoptera, 832
colony elimination,
Coptotermes formosanus, 809
termite bait, 809
Colorado potato beetle, 574, 1144, 1528
Bacillus thuringiensis subsp., 574
biological control, 1528

Colorado potato beetle, *(continued)*
economic impact, 1144
entomopathogenic nematodes, 1528
insecticide resistance, 1144
tenebrionis, 574
competition,
insecticide resistance, 59
Musca domestica, 59
controlled atmospheres,
heat, 546
Pseudococcus affinis, 546
coprophagy,
Blattella germanica, 1073
horizontal toxicant transfer, 1073
Coptotermes formosanus, 320, 503, 809
alkaloids, 320
colony elimination, 809
monotepenoids, 320
Reticulitermes flavipes, 503
termite bait, 809
termiticides, 503
corn stunt spiroplasma,
Dalbulus maidis, 604
maize bushy stunt phytoplasma, 604
Cortesia marginiventris,
Bacillus thuringiensis, 751
Heliothis virescens, 751
Cotesia plutellae,
Bacillus thuringiensis, 397
Plutella xylostella, 397
cotton, 21, 1324
flower buds, 1324
insecticide tolerance, 21
Heliothis virescens, 1324
Lygus lineolaris, 21
cowpea,
Clavigralla tomentosicollis, 421
temporal dynamics, 421
CryIV toxins,
Culex quinquefasciatus, 1471
Bacillus thuringiensis subsp. *israelensis*, 1471
Cryptolestes ferrugineus, 646, 1032
model, 646
Oryzaephilus surinamensis, 1032
Rhyzopertha dominica, 1032
stored grain, 646
Cryptotermes brevis,
acoustic emissions, 492
Incisitermes snyderi, 492
cucumber beetles,
Erwinia tracheiphila, 391
plant growth-promoting, 391
Culex quinquefasciatus, 299, 1471
Bacillus sphaericus, 299
Bacillus thuringiensis israelensis, 299
Bacillus thuringiensis subsp. *israelensis*, 1471
CryIV toxins, 1471
cultural control, 590, 1283
Agrotis ipsilon, 590, 1283
mowing, 590
turfgrass, 1283
Cydia pomonella,
disinfestation, 1357
hot water, 1357
Cynodon dactylon,
neutral lipids, 1414
Spodoptera frugiperda, 1414
Cyp6A2,
Drosophila melanogaster, 1514
cytochromes 1450, 1514

D

Dalbulus maidis,
corn stunt spiroplasma, 604
maize bushy stunt phytoplasma, 604
damage,
Diuraphis noxia, 1005
winter survival, 1005
decreased uptake resistance,
insecticide uptake, 261
Musca domestica, 261
degree-days,
forecasting model, 1615
phenology, 1615
detecting resistance,
German cockroach, 1441
tarsal contact, 1441
development, 623, 679
Diuraphis noxia, 623
Frankliniella occidentalis, 679
life span, 623
oviposition, 679
Diabrotica,
application rate, 1332

insecticide, 1332
Diabrotica undecimpunctata,
Acalymma vittatum, 1307
Anasa tristis, 1307
Diabrotica virgifera virgifera, 205, 883
manure, 205
Musca domestica, 883
soil insecticide, 205
Tetranychus urticae, 883
Diaprepes abbreviatus,
Admire, 988
soil insect, 988
Diatraea grandiosella,
Diatraea saccharalis, 412
Spodoptera frugiperda, 412
Diatraea lineolata,
maize, 611
Spodoptera frugiperda, 611
Diatraea saccharalis,
Diatraea grandiosella, 412
Spodoptera frugiperda, 412
diazinon,
Australian sheep blowfly, 15
diflubenzuron, 15, 784
gypsy moth, 784
nontarget effects, 784
Dioryctria zimmermani,
Chionaspis pinifoliae, 1598
Neodiprion serifer, 1598
disease transmission,
Lepidoptera, 1341
lesser cornstalk borer, 1341
disinfestation,
Cydia pomonella, 1357
hot water, 1357
dispersion,
Citrus aurantifolia, 458
Phyllocnistis citrella, 458
Diuraphis noxia, 623, 848, 1005, 1400, 1408, 1684, 1697
antibiosis, 1697
biotypes, 1684
branched salivary sheath, 848
damage, 1005
development, 623
life span, 623
plant resistance, 1408, 1684
trichome, 1400
Triticum aestivum, 848, 1400
wheat, 1408, 1697
winter survival, 1005
dosemortality,
Bacillus thuringiensis variety
bioassay, 361
israelensis, 361
Drosophila melanogaster, 1131, 1163, 1514
benzoyphenyl urea compound, 1131
chitin synthesis inhibitor, 1131
Cyp6A2, 1514
cytochromes P450, 1514
insecticide resistance, 1163
insect growth regulator, 1163
drywood termites,
lyctus beetles, 1215
subterranean termites, 1215
dung beetles,
dung beetle rearing, 124
Scarabaeinae, 124
Dysmicoccus vacinii,
Heterorhabditis, 925
Steinernema, 925

E

Ebeling choice box,
air movement, 465
Blatella germanica, 465
ecdysteroid agonist,
Spodoptera littoralis, 278
tolerance, 278
economic impact,
Colorado potato beetle, 1144
economic injury level,
feeder heifers, 6
insecticide resistance, 1144
Stomoxys calcitrans, 6
economic returns, 1, 1066
Ceratitis capitata, 1066
Hessian fly resistant wheat, 1
Morocco, 1
sterile insect technique, 1066
economic threshold,
potato aphid, 996
tomato, 996
economics,
Bacillus thuringiensis, 139

economics, *(continued)*
integrated pest management, 139
Edwardsiana rosae,
carbaryl, 1315
Typhlocyba pomaria, 1315
efficiency,
high-throughput screen, 715
probability, 715
eggs,
hypersensitive response, 652
Leptinotarsa decemlineata, 652
elm leaf beetle,
Pyrrhalta luteola, 1641
Ulmus, 1641
Empoasca fabae,
plant resistance, 842
pubescence, 842
Encarsia formosa,
Bemisia argentifolii, 910
whitefly, 910
Encarsia spp.,
Bemisia argentifolii, 404
Bemisia tabaci, 404
endophyte,
Agrotis ipsilon, 1290
turfgrass, 1290
entomopathogenic fungi,
Bemisia argentifolii, 765
Paecilomyces fumosoroseus, 765
entomopathogenic nematodes,
Colorado potato beetle, 1528
biological control, 1528
Eoreuma loftini,
mating disruption, 223
pheromone, 223
Ephestia cautella,
Plodia interpunctella, 1028
Tribolium confusam, 1028
Epicauta,
blister beetles, 1665
cantharidin, 1665
epidemiology,
Aphis helianthi, 825
vector, 825
Epiphyas postvittana, 199, 370
grape vines, 370,
heat shock proteins, 199
thermotolerance, 199
Trichogramma spp., 370
Eristalis tenax, 1646, 1650
Capsicum, 1646
pollination, 1650
Syrphidae, 1650
visits, 1646
Erwinia tracheiphila,
cucumber beetles, 391
plant growth-promoting, 391
essential oils,
Acarapis woodi, 1087
Apis mellifera, 1087
esterases,
life history, 1577
Schizaphis graminum, 1577
ethylenediamine tetraacetate,
Bacillus thuringiensis, 287,
Plutella xylostella, 287
Eumargarodes laingi,
pink ground pearl, 1702
sugarcane, 1702
Eurytoma amygdali,
almond drop, 1635
insect damage, 1635
Euschistus conspersus,
Chlorochroa uhleri, 1300
extracts, host plant, 160
oviposition cues, 160
tomato, 1300

F

F1 sterility,
sperm precedence, 444
Spodoptera frugiperda, 444
Fall armyworm,
carboxylamidase, 1521
cockroaches, 1521
fecal extract,
aggregation pheromone, 483
Blattella germanica, 483
fecundity, 55,
Aphis gossypii, 55,
fertility, 945
insecticide resistance, 55
Mexican fruit fly, 945
fenoxycarb,
Blattella germanica, 1247
hydoprene, 1247

fertility,
fecundity, 945
Mexican fruit fly, 945
fipronil,
Blattella germanica, 1152, 1254
insecticide activation, 1254
Musca domestica, 1152
flavenoid,
Helicoverpa zea, 1039
insect resistance, 1039
flight activity, 170,
Cacopsylla pyricola, 170,
sampling, 170
floral extraction,
Sitophilus zeamais, 1678
Tagetes minuta, 1678
flower buds,
cotton, 1324
Heliothis virescens, 1324
fluorescence, 416,
Lymantria dispar, 416,
optical brighteners, 416
forecasting model,
degree-days, 1615
phenology, 1615
formulation,
Bacillus thuringiensis, 1560
Trichoplusia ni, 1560
Fragaria x ananassa, 818,
strawberries, 818,
Tetranychus urticae, 818
Frankliniella occidentalis, 188, 679,
chrysanthemum, 188
development, 679
oviposition, 679
Platynota stultana, 1360
Tetranychus pacificus, 1360
thrips, 188
fruit flies, 535,
benzodioxole, 535
chemosterilant, 535,
fumigant, 832,
Coleoptera, 832,
Lepidoptera, 832

G

gamma rays,
greenhouse whitefly, 1022
radiosterilization, 1022
genetics of resistance,
Bacillus thuringiensis, 873
Spodoptera littoralis, 873
genetics,
insecticide resistance, 1478
Musca domestica, 1478
German cockroach,
Blattella, 1458
detecting resistance, 1441
pyrethroid(s), 1243, 1458
resistance, 1243
tarsal contact, 1441
gluten, 354,
Bacillus thuringiensis, 354,
Ostrinia nubilalis, 354
Gossypium barbadense,
Bemisia argentifolii, 1046
Gossypium hirsutum, 1046
Gossypium hirsutum,
Bemisia argentifolii, 1046
Gossypium barbadense, 1046
grape vines, 370,
Epiphyas postvittana, 370
Trichogramma spp., 370
grasshopper, 1539
biological control, microbial control, 1539
greenhouse whitefly,
gamma rays, 1022
radiosterilization, 1022
ground cover, 595,
Amblyseius fallacis, 595
Panonychus ulmi, 595
gypsy moth, 784,
diflubenzuron, 784,
nontarget effects, 784

H

Harmonia axyridis, 11,
Aphis citricola, 11
Myzus malisuctus, 11
heat shock proteins, 199,
Epiphyas postvittana, 199
thermotolerance, 199
heat, 540,
Anastrepha suspensa, 540
survival, 540

heat, 546,
controlled atmospheres, 546,
Pseudococcus affinis, 546
Helicoverpa armigera, 837,
Bacillus thuringiensis, 1181
Cajanus spp., 837,
Microplitis croceipes, 1181
phoxim resistance, 868
resistant stability, 868
trichomes, 837
Heliocoverpa zea,
Anagrapha falcifera, 1195
Bacillus thuringiensis, 1195
flavenoid, 1039
insect resistance, 1039
Heliothis virescens, 49, 75, 723, 751
Bacillus thuringiensis, 75, 751
baculovirus, 1170
Cortesia marginiventris, 751
cotton, 1324
flower buds, 1324
insecticide, 1170
insecticide resistance, 723
nucleopolyhedrosis virus, 1207
P450, 49,
resistance, 49, 75
synergism, 723,
Trichoplusia ni, 1207
Hessian fly resistant wheat, 1,
economic returns, 1
Morocco, 1
Heteronychus arator,
Acremonium, 1382
Neotyphodium lolii, 1382
Heterorhabditis,
Dysmicoccus vaccinii, 925
Steinernema, 925
high-throughput screen, 715,
efficiency, 715,
probability, 715
horizontal toxicant transfer,
Blattella germanica, 1073
coprophagy, 1073
host plant, 160,
extracts, 160
oviposition cues, 160,
host-plant resistance, 689,
Leptinotarsa decemlineata, 689
Solanum trifidum, 689
hot water,
Cydia pomonella, 1357
disinfestation, 1357
house fly,
Bemisia argentifolii, 879
whitefly, 879
humectants,
Myzus nicotianae, 1010
Nicotiana spp., 1015
humidity,
Myzus nicotianae, 1010
Nicotiana gossei, 1010
hydoprene,
Blattella germanica, 1247
fenoxycarb, 1247
Hypera postica,
integrated control, 933
Zoophthora phytonomi, 933
hypersensitive response, 652,
eggs, 652,
Leptinotarsa decemlineata, 652
Hypothenemus hampei,
Beauveria bassiana, 1534
virulence, 1534

I

imidacloprid, 473,
Blattella germanica, 473,
Metarhizium anisopliae, 473
Incisitermes snyderi, 492,
acoustic emissions, 492,
Cryptotermes brevis, 492
inherited sterility,
partially sterile males, 1097
Phthorimaea operculella, 1097
insect behavior,
allelochemicals, 961
beet armyworm, 961
insect damage,
almond drop, 1635
Eurytoma amygdali, 1635
insect growth regulator,
Drosophila melanogaster, 1163
insecticide resistance, 1163
insect growth regulators, 551,
Choristoneura fumiferana, 551
tebufenozide, 551

insect lipids, 119,
Beauveria bassiana, 119
Beauveria brongniartii, 119
insect resistance, 147,
alternate host, 147,
flavenoid, 1039
Helicoverpa zea, 1039
Lymantria dispar, 147
insect viruses,
Lymantria dispar, 899
optical brighteners, 899
insecticide activation,
Blattella germanica, 1254
fipronil, 1254
insecticide bioassays,
insecticide resistance monitoring, 1117
Pseudoplusia includens, 1117
insecticide discovery,
bioassay, 1500
toxicity, 1500
insecticide resistance monitoring,
insecticide bioassays, 1117
Pseudoplusia includens, 1117
insecticide resistance, 27, 55, 59, 183, 252, 283, 723, 293
aphids, 1445
Aphis gossypii, 55,
Bacillus thuringiensis, 1137
bioassay, 283,
Blattella germanica, 183,
Colorado potato beetle, 1144
competition, 59
Drosophila melanogaster, 1163
economic impact, 1144
fecundity, 55
genetics, 1478
Heliothis virescens, 723
insect growth regulator, 1163
insecticide susceptibility, 293
Musca domestica, 59, 1478
Nasonovia ribisnigri, 1445
Oryzaephilus surinamensis, 27
Ostrinia nubilalis, 1137
pheromone traps, 252,
Phyllonorycter mespilella, 252
population stucture, 27
Schizaphis graminum, 283
selection, 183
Stomoxys calcitrans, 293
synergism, 723
insecticide susceptibility, 293,
insecticide resistance, 293
Stomoxys calcitrans, 293
insecticide tolerance, 21,
cotton, 21
Lygus lineolaris, 21
insecticide uptake, 261,
decreased uptake resistance, 261
Musca domestica, 261
insecticide, 218, 304
Anisopteromalus, 304
application rate, 1332
baculovirus, 1170
Diabrotica, 1332
Heliothis virescens, 1170
parasitoid, 304
seed treatments, 218,
Solenopsis invicta, 218
integrated control,
Hypera postica, 933
Zoophthora phytonomi, 933
integrated pest management, 102, 139
Bacillus thuringiensis, 139
Chrysoperla carnea, 102
economics, 139
Micromus tasmaniae, 102
isothiocyanates, 109,
Brassica spp., 109
Otiorhynchus sulcatus, 109

L

laboratory rearing,
Unaspis euonymi, 955
temperature, 955
lady beetles,
neem, 1102
stage/age susceptibility, 1102
lambdacyhalothrin, 38,
Blattela germanica, 38
resistance management, 38
larval mortality, 773,
mathematical model, 773
Ostrinia nubilalis, 773
Lepidoptera, 832,
Coleoptera, 832
disease transmission, 1341

Lepidoptera, *(continued)*
fumigant, 832
lesser cornstalk borer, 1341
Leptinotarsa decemlineata, 267, 309, 652, 689
Aphis nasturtii, 309
Bacillus thuringiensis, 267
eggs, 652
host-plant resistance, 689
hypersensitive response, 652
Macrosiphum euphorbiae, 309
precision agriculture, 855
resistance cost, 267
resistance management, 855
Solanum trifidum, 689
lesser cornstalk borer,
disease transmission, 1341
Lepidoptera, 1341
lethal doses,
Tribolium castaneum, 1157
Tribolium confusum, 1157
life history,
esterases, 1577
Schizaphis graminum, 1577
life span, 623,
development, 623
Diuraphis noxia, 623
lufenuron, 510,
Blattella germanica, 510
chitin synthesis inhibitor, 510
Lycopersicon spp.,
Spodoptera littoralis, 1690
tomato, 1690
lyctus beetles,
drywood termites, 1215
subterranean termites, 1215
Lygus lineolaris, 21,
cotton, 21
insecticide tolerance, 21
Lymantria dispar, 147, 416
alternate host, 147
baculovirus, 1267
biological invasion, 1259
Brachymeria intermedia, 1551
Coccygomimus disparis, 1551
fluorescence, 416
insect resistance, 147
insect viruses, 899
neem, 1267
optical brightener, 899
spread rate, 1259

M

Macrosiphum euphorbiae, 309,
Aphis nasturtii, 309
Leptinotarsa decemlineata, 309
maize bushy stunt phytoplasma, 604,
corn stunt spiroplasma, 604
Dalbulus maidis, 604
maize stem borer,
Busseola fusca, 1426
mass rearing, 1426
maize, 611,
Diatraea lineolata, 611
Spodoptera frugiperda, 611
malathion, 639,
Anthonomus grandis grandis, 639
ultra-low-volume application, 639
manure, 205,
Diabrotica virgifera virgifera, 205
soil insecticide, 205
marking,
Trichogramma brassicae, 1546
survival, 1546
mass rearing,
Busseola fusca, 1426
maize stem borer, 1426
mathematical model, 773,
larval mortality, 773
Ostrinia nubilalis, 773
mating competitiveness,
Ceratitis capitata, 1609
sterilization, 1609
mating disruption, 223,
Eoreuma loftini, 223
pheromone, 223
Melanoplus sanguinipes, 383,
Beauveria bassiana, 383
microbial control, 383
Melia azedarach, 747,
antifeedant, 747
Xanthogalleuca luteola, 747
Metamasius hemipterus, 634,
Saccharum, 634
yield losses, 634
Metarhizium anisopliae, 473,

Blattella germanica, 473
imidacloprid, 473
methoxyfenozide,
Ostrinia nubilalis, 1486
tebufenozide, 1486
Mexican bean beetle, 697,
soil moisture, 697
soybeans, 697
Mexican fruit fly, 527,
fecundity, 945
fertility, 945
quarantine, 1433
quarantine treatments, 527
risk analysis, 1433
thermal death, 527
microbial control, 130, 383
Anastrepha ludens, 130,
Bacillus thuringiensis, 130
Beauveria bassiana, 383
biological control, 1539
grasshopper, 1539
Melanoplus sanguinipes, 383
Micromus tasmaniae, 102,
acute toxicity, 1493
Chrysoperla carnea, 102, 1493
integrated pest management, 102
Microplitis croceipes,
Bacillus thuringiensis, 1181
Helicoverpa armigera, 1181
mineral oil, 349,
abamectin, 349
Bemisia tabaci, 349
Miridae, 801,
Camplyomma verbasci, 801
sex pheromone, 801
model, 646,
Cryptolestes ferrugineus, 646
stored grain, 646
Monomorium pharaonis, 523,
ant baits, 523
boric acid, 523
monotepenoids, 320,
alkaloids, 320
Coptotermes formosanus, 320
Morocco, 1,
economic returns, 1
Hessian fly resistant wheat, 1
mowing, 590,
Agrotis ipsilon, 590
cultural control, 590
Musca domestica, 59, 261,
Blattella germanica, 1152
competition, 59
decreased uptake resistance, 261
Diabrotica virgifera virgifera, 883
fipronil, 1152
genetics, 1478
insecticide resistance, 59, 1478
insecticide uptake, 261
Tetranychus urticae, 883
Myzus malisuctus, 11,
Aphis citricola, 11,
Harmonia axyridis, 11
Myzus nicotianae,
humectants, 1015
humidity, 1010
Nicotiana gossei, 1010
Nicotiana spp., 1015
Myzus persicae, 195,
aphicide, 195
persistence, 195
potato virus Y, 1628
pyrethroids, 1628

N

Nasonovia ribisnigri,
aphids, 1445
insecticide resistance, 1445
neem,
baculovirus, 1267
lady beetles, 1102
Lymantria dispar, 1267
stage/age susceptibility, 1102
Neodiprion sertifer,
Chionaspis pinifoliae, 1598
Dioryctria zimmermani, 1598
Neotyphodium lolii,
Acremonium, 1382
Heteronychus arator, 1382
neutral lipids,
Cynodon dactylon, 1414
Spodoptera frugiperda, 1414
Nicotiana gossei,
humidity, 1010
Myzus nicotianae, 1010
Nicotiana spp.,

Nicotiana spp., *(continued)*
humectants, 1015
Myzus nicotianae, 1010
nontarget effects, 784,
diflubenzuron, 784
gypsy moth, 784
nontargets, 113,
bioassays, 113
cadmium, 113
nucleopolyhedrosis virus,
Heliothis virescens, 1207
Trichoplusia ni, 1207
nymphal feeding chamber, 628,
artifical diet, 628
Bemisia argentifolii, 628

O

occurrence,
Schizaphis graminum, 1106
survey, 1106
Oligonychus pratensis,
Tetranychus urticae, 1125
resistance, 1125
opiine parasitoids, 757,
parasitoid competition, 757
tephritid fruit flies, 757
optical brighteners, 416,
fluorescence, 416
Lymantria dispar, 416, 899
insect viruses, 899
Oryzaephilus surinamensis, 27,
Cryptolestes ferrugineus, 1032
insecticide resistance, 27
population stucture, 27
Rhyzopertha dominica, 1032
Ostrinia nubilalis, 354, 449, 773, 795,
Bacillus thuringiensis, 354, 905, 1137
blacklight trap, 449
gluten, 354
insecticide resistance, 1137
larval mortality, 773
mathematical model, 773
methoxyfenozide, 1486
pheromone, 795
pheromone trap, 449
sampling, 795
tebufenozide, 1486
Zea mays, 905
Otiorhynchus sulcatus, 109,
Brassica spp., 109
isothiocyanates, 109
oviposition cues, 160,
extracts, 160
host plant, 160
oviposition, 679,
development, 679,
Frankliniella occidentalis, 679

P

P450, 49,
Heliothis virescens, 49,
resistance, 49
Paecilomyces fumosoroseus, 765,
Bemisia argentifolii, 765
entomopathogenic fungi, 765
Panonychus ulmi, 272, 595, 566
abamectin, 566
Acari, 272
Amblyseius fallacis, 595
ground cover, 595
Tetranychus urticae, 272, 566
Papaipema nebris, 669,
Agrotis ipsilon, 669
Bacillus thuringiensis, 669
parasitoid competition, 757,
opiine parasitoids, 757
tephritid fruit flies, 757
parasitoid, 304,
Anisopteromalus, 304
insecticide, 304
partially sterile males,
Phthorimaea operculella, 1097
inherited sterility, 1097
Periplaneta fuliginosa,
pesticide residue, 1232
Steinernema carpocapsae, 1232
sticky trap, 1222
Taylor's power law, 1222
persistence, 195,
aphicide, 195,
Myzus persicae, 195
pest ants, 488,
bait avoidance, 488
Solenopsis invicta, 488
pest management,
Tephritidae, 1567

Toxotrypana curvicauda, 1567
pesticide residue,
Periplaneta fuliginosa, 1232
Steinernema carpocapsae, 1232
petri plate bioassay, 742,
abamectin, 742
Tetranychus urticae, 742
phenology,
Acrobasis nuxvorella, 983
degree-days, 1615
forecasting model, 1615
pheromone monitoring area, 983
pheromone monitoring area,
Acrobasis nuxvorella, 983
phenology, 983
pheromone trap(s), 252, 449,
blacklight trap, 449
insecticide resistance, 252
Ostrinia nubilalis, 449
Phyllonorycter mespilella, 252
pheromone, 223, 795
Eoreuma loftini, 223
mating disruption, 223
Ostrinia nubilalis, 795
sampling, 795
phoxim resistance,
Helicoverpa armigera, 868
resistant stability, 868
Phthorimaea operculella, 7, 154,
inherited sterility, 1097
partially sterile males, 1097
potato tuberworm, 154
rubidium labeling, 154
Phyllocnistis citrella, 458,
Citrus aurantifolia, 458
dispersion, 458
Phyllonorycter mespilella, 252,
insecticide resistance, 252
pheromone traps, 252
pink ground pearl, 1702
Eumargarodes laingi sugarcane, 1702
Pissodes strobi, 235, 704,
resistance, 235, 704
Sitka spruce, 235, 704
plant growth-promoting, 391,
cucumber beetles, 391
Erwinia tracheiphila, 391
plant resistance, 842,
biotypes, 1684
Brassica, 1392
Ceutorhynchus assimilis, 1392
Diuraphis noxia, 1408, 1684
Empoasca fabae, 842,
pubescence, 842
wheat, 1408
plant response,
Aceria sheldoni, 1273
Arachnida, 1273
Platynota stultana,
Frankliniella occidentalis, 1360
Tetranychus pacificus, 1360
Plodia interpunctella,
Ephestia cautella, 1028
Tribolium confusam, 1028
Plutella xylostella, 87, 94, 241, 287, 397, 732
Bacillus thuringiensis, 87, 94, 241, 287, 397, 732, 1462
Cotesia plutellae, 397
ethylenediamine tetraacetate, 287
population dynamics, 241
resistance, 94
resistance management, 1462
resistance monitoring, 87
transgenic plants, 732
pollination, 1650
Syrphidae, Eristalis tenax, 1650
population dynamics, 241,
Bacillus thuringiensis, 241
Plutella xylostella, 241
population stucture, 27,
insecticide resistance, 27
Oryzaephilus surinamensis, 27
potato aphid, tomato, 996
economic threshold, 996
potato tuberworm, 154,
Phthorimaea operculella, 154
rubidium labeling, 154
potato virus Y,
Myzus persicae, 1628
pyrethroids, 1628
precision agriculture,
Leptinotarsa decemlineata, 855
resistance management, 855
probability, 715,
efficiency, 715

high-throughput screen, 715
Prostephanus truncatus,
Alcaligenes faecalis, 1371
Chromobacterium violaceum, 1371
Pseudococcus affinis, 546,
cold storage, 1377
controlled atmospheres, 546
heat, 546
temperature, 1377
Pseudoplusia includens,
insecticide resistance monitoring, 1117
insecticide bioassays, 1117
pubescence, 842,
Empoasca fabae, 842
plant resistance, 842
pupation, 435,
Rumina decollata, 435
Scirtothrips citri, 435
pyrethroid(s),
Blattella, 1458
German cockroach, 1243, 1458
Myzus persicae, 1628
potato virus Y, 1628
resistance, 1243
Pyrrhalta luteola,
elm leaf beetle, 1641
Ulmus, 1641

Q

quarantine treatments, 527,
Mexican fruit fly, 527
thermal death, 527
quarantine,
Mexican fruit fly, 1433
risk analysis, 1433

R

radiosterilization,
gamma rays, 1022
greenhouse whitefly, 1022
rearing, 427,
artificial diet, 427,
West Indian fruit fly, 427
resampling software,
Acalymma vittatum, 1590
Wald sequential probability ratio test, 1590
resistance cost, 267,
Bacillus thuringiensis, 267,
Leptinotarsa decemlineata, 267
resistance management, 38,
Bacillus thuringiensis, 1462
Blattela germanica, 38,
lambdacyhalothrin, 38
Leptinotarsadecemlineata, 855
Plutella xylostella, 1462
precision agriculture, 855
resistance monitoring, 66, 87,
Bacillus thuringiensis, 87
Bemisia argentifolii, 66,
Plutella xylostella, 87
vial-bioassay, 66
resistance, 49, 75, 94, 235, 704
aphid, 1672
Bacillus thuringiensis, 75, 94
bioassays, 1450
biotype, 1055
Choristoneura rosaceana, 1450
German cockroach, 1243
Heliothis virescens, 49, 75,
Oligonychus pratensis, 1125
P450, 49
Pissodes strobi, 235, 704
Plutella xylostella, 94
pyrethroid, 1243
Schizaphis graminum, 1055
Sitka spruce, 235, 704
Tetranychus urticae, 1125
wheat, 1672
resistant stability,
Helicoverpa armigera, 868
phoxim resistance, 868
Reticulitermes flavipes, 178, 503,
antitermitic, 178,
Coptotermes formosanus, 503
termite, 178
termiticides, 503
Rhagoletis pomonella,
ammonium carbonate, 1655
butyl hexanoate, 1655
Rhodnius prolixus, 340,
Callosobruchus maculatus, 340
canatoxin, 340
Rhopalosiphum padi,
Schizaphis graminum, 967
Sitobion avenae, 967, 1346

probability, *(continued)*
yield loss, 1346

R

Rhyzopertha dominica,
Cryptolestes ferrugineus, 1032
Oryzaephilus surinamensis, 1032
risk analysis,
Mexican fruit fly, 1433
quarantine, 1433
risk assessment,
Apis mellifera, 1710
transgenic plants, 1710
row cover,
vegetable, 1661
wool, 1661
rubidium labeling, 154,
Phthorimaea operculella, 154
potato tuberworm, 154
Rumina decollata, 435,
pupation, 435
Scirtothrips citri, 435

S

sabadilla alkaloids, 326,
Scirtothrips citri, 326
Veratran, 326
Saccharum, 634,
Metamasius hemipterus, 634
yield losses, 634
sampling, 170, 795
Cacopsylla pyricola, 170
flight activity, 170
Ostrinia nubilalis, 795
pheromone, 795
Scarabaeinae, 124,
dung beetles, 124
dung beetle rearing, 124
Schizaphis graminum, 283,
bioassay, 283
biotype, 1055
esterases, 1577
insecticide resistance, 283
life history, 1577
occurrence, 1106
resistance, 1055
Rhopalosiphum padi, 967
Sitobion avenae, 967
survey, 1106
Scirtothrips citri, 326, 435,
pupation, 435
*Rumina decollata,*435
sabadilla alkaloids, 326
Veratran, 326
seed treatments, 218,
insecticide, 218,
Solenopsis invicta, 218
selection, 183,
Blattella germanica, 183
insecticide resistance, 183
SeMNPV,
autodissemination, 1187
Spodoptera exigua, 1187
sex pheromone, 801,
Camplyomma verbasci, 801
Miridae, 801
Sitka spruce, 235, 704
Pissodes strobi, 235, 704
resistance, 235, 704
Sitobion avenae,
Rhopalosiphum padi, 967, 1346
Schizaphis graminum, 967
yield loss, 1346
Sitophilus zeamais,
floral extraction, 1678
Tagetes minuta, 1678
soil insect,
Admire, 988
Diaprepes abbreviatus, 988
soil insecticide, 205,
Diabrotica virgifera virgifera, 205
manure, 205
soil moisture, 697,
Mexican bean beetle, 697
soybeans, 697
Solanum trifidum, 689,
host-plant resistance, 689
Leptinotarsa decemlineata, 689
Solenopsis invicta, 135, 218, 488
bait avoidance, 488
biological control, 135
insecticide, 218,
pest ants, 488
seed treatments, 218
Solenopsis richteri, 135
Solenopsis richteri, 135,

Solenopsis richteri, (continued)
biological control, 135,
Solenopsis invicta, 135
soybeans, 697,
Mexican bean beetle, 697
soil moisture, 697
sperm precedence, 444,
Spodoptera exigua,
SeMNPV, 1187
autodissemination, 1187
Spodoptera frugiperda, 412, 444, 611
Diatraea grandiosella, 412
Diatraea lineolata, 611
Diatraea saccharalis, 412
Cynodon dactylon, 1414
F1 sterility, 444
maize, 611
neutral lipids, 1414
sperm precedence, 444
Spodoptera littoralis, 278,
Bacillus thuringiensis, 873
ecdysteroid agonist, 278,
genetics of resistance, 873
Lycopersicon spp., 1690
tolerance, 278
tomato, 1690
spread rate,
biological invasion, 1259
Lymantria dispar, 1259
spruce budworm, 560
Bacillus thuringiensis, 560
stadial susceptibility, 560
stadial susceptibility, 560
Bacillus thuringiensis, 560
spruce budworm, 560
stage/age susceptibility,
lady beetles, 1102
neem, 1102
Steinernema,
Heterorhabditis, 925
Dysmicoccus vaccinii, 925
Steinernema carpocapsae,
Agrotis ipsilon, 1200
Periplaneta fuliginosa, 1232
pesticide residue, 1232
Steinernematidae, 1200
Steinernematidae,
Steinernema carpocapsae, 1200
Agrotis ipsilon, 1200
sterile insect technique,
Ceratitis capitata, 1066
economic returns, 1066
sterilization,
Ceratitis capitata, 1609
mating competitiveness, 1609
sticky trap(s),
Blattella germanica, 976
Periplaneta fuliginosa, 1222
Taylor's power law, 1222
vacuum cleaner, 976
Stomoxys calcitrans, 6, 293,
economic injury level, 6
feeder heifers, 6
insecticide resistance, 293
insecticide susceptibility, 293
stored grain, 646,
Cryptolestes ferrugineus, 646
model, 646
strawberries, 818,
Fragaria x ananassa, 818
Tetranychus urticae, 818
subterranean termites,
drywood termites, 1215
lyctus beetles, 1215
sugarcane,
Eumargarodes laingi, 1702
pink ground pearl, 1702
survey,
occurrence, 1106
Schizaphis graminum, 1106
survival, 540,
Anastrepha suspensa, 540
heat, 540
marking, 1546
Trichogramma brassicae, 1546
synergism, 723,
Heliothis virescens, 723
insecticide resistance, 723
Syrphidae,
Eristalis tenax, 1650
pollination, 1650

T

Tagetes minuta,
floral extraction, 1678
Sitophilus zeamais, 1678

tarnished plant bug, 663,
bollworm, 663,
tobacco budworm, 663
tarsal contact,
detecting resistance, 1441
German cockroach, 1441
Taylor's power law,
Periplaneta fuliginosa, 1222
sticky trap, 1222
tebufenozide, 551,
Choristoneura fumiferana, 551
insect growth regulators, 551
methoxyfenozide, 1486
Ostrinia nubilalis, 1486
temperature,
cold storage, 1377
laboratory rearing, 955
Pseudococcus affinis, 1377
Unaspis euonymi, 955
temporal dynamics, 421,
Clavigralla tomentosicollis, 421
cowpea, 421
tenebrionis, 574,
Bacillus thuringiensis subsp., 574
Colorado potato beetle, 574
tephritid fruit flies, 757,
opiine parasitoids, 757
parasitoid competition, 757
Tephritidae,
Bactrocera melanotus, 1351
Bactrocera xanthodes, 1351
pest management, 1567
Toxotrypana curvicauda, 1567
termite bait, 809,
colony elimination, 809
Coptotermes formosanus, 809
termite, 178,
antitermitic, 178
Reticulitermes flavipes, 178
termiticides, 503,
Coptotermes formosanus, 503
Reticulitermes flavipes, 503
Tetranychus pacificus,
Frankliniella occidentalis, 1360
Platynota stultana, 1360
Tetranychus urticae, 272, 566, 742, 818
abamectin, 566, 742,
Acari, 272
Diabrotica virgifera virgifera, 883
Fragaria x ananassa, 818
Musca domestica, 883
Oligonychus pratensis, 1125
Panonychus ulmi, 272, 566
petri plate bioassay, 742
resistance, 1125
strawberries, 818
thermal death, 527,
Mexican fruit fly, 527
quarantine treatments, 527
thermotolerance, 199,
Epiphyas postvittana, 199
heat shock proteins, 199
thrips, 188,
chrysanthemum, 188
Frankliniella occidentalis, 188
tobacco budworm, 663,
bollworm, 663
tarnished plant bug, 663
tolerance, 278,
ecdysteroid agonist, 278
Spodoptera littoralis, 278
tomato,
Chlorochroa uhleri, 1300
economic threshold, 996
Euschistus conspersus, 1300
Lycopersicon spp., 1690
potato aphid, 996
Spodoptera littoralis, 1690
toxicity,
bioassay, 1500
insecticide discovery, 1500
Toxotrypana curvicauda,
Tephritidae, 1567
pest management, 1567
transgenic plants, 732,
Apis mellifera, 1710
Bacillus thuringiensis, 732
risk assessment, 1710
Plutella xylostella, 732
trapping,
Anastrepha ludens, 1584
Ceratitis capitata, 1584
Trialeurodes abutilonea, 658,
Bemisia argentifolii, 658
Bemisia tabaci, 658
Tribolium castaneum,

Tribolium castaneum, (continued)
lethal doses, 1157
Tribolium confusum, 1157
Tribolium confusam,
Ephestia cautella, 1028
lethal doses, 1157
Plodia interpunctella, 1028
Tribolium castaneum, 1157
Trichogramma brassicae,
marking, 1546
survival, 1546
Trichogramma spp., 370,
Epiphyas postvittana, 370
grape vines, 370
trichome(s), 837
Cajanus spp., 837,
Diuraphis noxia, 1400
Helicoverpa armigera, 837
Triticum aestivum, 1400
Trichoplusia ni,
Bacillus thuringiensis, 1560
formulation, 1560
Heliothis virescens, 1207
nucleopolyhedrosis virus, 1207
Triticum aestivum, 848,
branched salivary sheath, 848,
Diuraphis noxia, 848, 1400
trichome, 1400
turfgrass,
Agrotis ipsilon, 1283, 1290
cultural control, 1283
endophyte, 1290
Typhlocyba pomaria,
carbaryl, 1315
Edwardsiana rosae, 1315

U

Ulmus,
Pyrrhalta luteola, 1641
elm leaf beetle, 1641
ultra-low-volume application, 639,
anthonomus grandis grandis, 639
malathion, 639
Unaspis euonymi,
laboratory rearing, 955
temperature, 955

V

vacuum cleaner,
Blattella germanica, 976
sticky traps, 976
Varroa jacobsoni,
Apis mellifera, 893, 1080
Acarapis woodi, 1080
breeding, 893
vector, 825,
Aphis helianthi, 825
epidemiology, 825
vegetable,
row cover, 1661
wool, 1661
Veratran, 326,
sabadilla alkaloids, 326
Scirtothrips citri, 326
vial-bioassay, 66,
Bemisia argentifolii, 66
resistance monoriting, 66
virulence,
Beauveria bassiana, 1534
Hypothenemus hampei, 1534
visits,
Eristalis tenax, 1646
Capsicum, 1646

W

Wald sequential probability ratio test,
Acalymma vittatum, 1590
resampling software, 1590
West Indian fruit fly, 427,
artificial diet, 427
rearing, 427
wheat,
antibiosis, 1697
aphid, 1672
Diuraphis noxia, 1408, 1697
plant resistance, 1408
resistance, 1672
whitefly,
Bemisia argentifolii, 879, 910
Encarsia formosa, 910
house fly, 879
winter survival,
damage, 1005

Diuraphis noxia, 1005
wool,
row cover, 1661
vegetable, 1661

X

Xanthogalleuca luteola, 747,
antifeedant, 747
Melia azedarach, 747

Y

yield loss(s), 634
Metamasius hemipterus, 634
Rhopalosiphum padi, 1346
Saccharum, 634
Sitobion avenae, 1346

Z

Zea mays,
Bacillus thuringiensis, 905
Ostrinia nubilalis, 905
Zoophthora phytonomi,
Hypera postica, 933
integrated control, 933

BUGDORM-1

The Detachable Insect Rearing Cage...BugDorm-1

Assemble in minutes, fast and easy.





Material: Polypropylene (PP)
Use temp. range: -15°C to 85°C
External dimension: 30 x 30 x 30 cm
Weight: 930 gm
Mesh size: 24 mesh

Revolutionary design, light weight, sturdy, completely detachable for easy storage.

Washable - clean easily, reduce contamination and increase survival of animals.

Chemically inert to most organic solvents, ideal for bioassay studies.

All panels are transparent, making observation easily.

Modular design, damage parts can easily be replaced.

Expandable to taller rearing cage to accommodate various experimental conditions.

Ideal for the rearing of mosquitoes, house flies,butterflies, moths, agricultural pests, medical vectors and other small animals.

Please e-mail or fax to us now!

MEGA VIEW

MegaView Science Education Services Co., Ltd.
No.12, Lane 122-29, Sec.2 Tai Chung Kang Road
Taichung, TAIWAN
Tel: 886-4-2542586 Fax: 886-4-2542585
e-mail: megaview@ms2.hinet.net